Author index

AB, G., see Bruinenberg, P.G. (1008) 157
Ahlquist, J.A.O., Franklyn, J.A., Sheppard, M.C. and Ramsden, D.B.
Thyroid hormone response elements in pituitary genes (1008) 251
Akama, K., Oka, S., Tobita, T. and Hayashi, H.
Changes in chromatin structure of boar late spermatids to mature spermatozoa by using modification with dansyl chloride (1008) 198
Aker, J., see Tasseron-de Jong, J. (1008) 62
Akizuki, S., see Setoguchi, M. (1008) 213
Alberghina, L., see Vanoni, M. (1008) 168
Aniello, F., Branno, M., Geraci, G. and Tosi, L.
Histone-lysine methyltransferase activity from sea-urchin embryo nuclei. Changes in substrate specificity upon purification (1008) 31
Arnberg, A.C., see Bruinenberg, P.G. (1008) 157
Ayaki, H., see Hirabayashi, J. (1008) 85

Baas, P.D., see Bovenberg, R.A.L. (1008) 223
Babkina, G.T., see Graifer, D.M. (1008) 146
Barker, H.M., see Cohen, P.T.W. (1008) 125
Beabealashvili, R.S., see Chinchaladze, D.Z. (1008) 113
Belaïche, D., see Chartier, F. (1008) 309
Benbow, R.M., see Kaiserman, H.B. (1008) 23
Bensadoun, A., see Cooper, D.A. (1008) 92
Bernués, J. and Querol, E.
Non-random reconstitution of HMG1 and HMG2 in chromatin. Determination of the histone contacts (1008) 52
Borst, P.
Peroxisome biogenesis revisited (1008) 1
Bovenberg, R.A.L., Moen, T.C., Jansz, H.S. and Baas, P.D.
In vitro splicing analysis of mini-gene constructs of the alternatively processed human calcitonin/CGRP-I pre-mRNA (1008) 223
Branno, M., see Aniello, F. (1008) 31
Brown, W.V., see Oka, K. (1008) 351
Bruinenberg, P.G., Evers, M., Waterham, H.R., Kuipers, J., Arnberg, A.C. and AB, G.
Cloning and sequencing of the peroxisomal amine oxidase gene from *Hansenula polymorpha* (1008) 157
Bukhrashvili, I.S., Chinchaladze, D.Z., Lavrik, O.I., Levina, A.S., Nevinsky, G.A. and Prangishvili, D.A.
Comparison of initiating abilities of primers of different length in polymerization reactions catalyzed by DNA polymerases from thermoacidophilic archaebacteria (1008) 102

Caryl Wallis, O., see Warwick, J.M. (1008) 247
Casaregola, S., Khidhir, M. and Holland, I.B.
In vitro replication and mutagenesis of ColE1 plasmid DNA in extracts from repair deficient *Escherichia coli* mutants (1008) 45
Ceccarini, C., see Conti, R. (1008) 315
César, R., see Verly, W.G. (1008) 183
Chan, Y.-L., see Devi, K.R.G. (1008) 258
Chartier, F., Laine, B., Belaïche, D., Touzel, J.-P. and Sautière, P.
Primary structure of the chromosomal protein MC1 from the archaebacterium *Methanosarcina* sp. CHTI 55 (1008) 309
Chimshirova, K., see Srebreva, L. (1008) 346
Chinchaladze, D.Z., Prangishvili, D.A., Scamrov, A.V., Beabealashvili, R.S., Dyatkina, N.B. and Krayevsky, A.A.
Nucleoside 5′-triphosphates modified at sugar residues as substrates for DNA polymerase from the thermoacidophilic archaebacterium *Sulfolobus acidocaldarius* (1008) 113
Chinchaladze, D.Z., see Bukhrashvili, I.S. (1008) 102
Clark, S.J., see Price, N.T. (1008) 177
Cohen, P., see Cohen, P.T.W. (1008) 125
Cohen, P.T.W., Schelling, D.L., Da Cruz e Silva, O.B., Barker, H.M. and Cohen, P.
The major type-1 protein phosphatase catalytic subunits are the same gene products in rabbit skeletal muscle and rabbit liver (1008) 125
Conti, R., Ceccarini, C. and Tecce, M.F.
Thyroid hormone effect on α-fetoprotein and albumin coordinate expression by a human hepatoma cell line (1008) 315
Cooper, D.A., Stein, J.C., Strieleman, P.J. and Bensadoun, A.
Avian adipose lipoprotein lipase: cDNA sequence and reciprocal regulation of mRNA levels in adipose and heart (1008) 92

Da Cruz e Silva, O.B., see Cohen, P.T.W. (1008) 125
De, N., see Schweizer, M.P. (1008) 293
Den Dulk, H., see Tasseron-de Jong, J. (1008) 62
Devi, K.R.G., Chan, Y.-L. and Wool, I.G.
The primary structure of rat ribosomal protein S4 (1008) 258
Dyatkina, N.B., see Chinchaladze, D.Z. (1008) 113

Endo, H., see Yamamoto, M. (1008) 322
Evers, M., see Bruinenberg, P.G. (1008) 157

Franklyn, J.A., see Ahlquist, J.A.O. (1008) 251
Furuichi, M., see Yamamoto, M. (1008) 322

Gaido, M.L. and Strobl, J.S.
Inhibition of rat growth hormone promoter activity by site-specific DNA methylation (1008) 234
Gao, F., see Yamamoto, M. (1008) 322
Geraci, G., see Aniello, F. (1008) 31
Giphart-Gassler, M., see Tasseron-de Jong, J. (1008) 62
Goto, S., see Motojima, K. (1008) 116
Graifer, D.M., Babkina, G.T., Matasova, N.B., Vladimirov, S.N., Karpova, G.G. and Vlassov, V.V.
Structural arrangement of tRNA binding sites on *Escherichia coli* ribosomes, as revealed from data on affinity labelling with photoactivatable tRNA derivatives (1008) 146
Gray, M.W., see Joyce, P.B.M. (1008) 355
Gu, Y.C., see Lanclos, K.D. (1008) 109

Hayashi, H., see Akama, K. (1008) 198
Heath, L.S., see Leinbach, S.S. (1008) 281
Hibino, Y., Yamamura, T. and Sugano, N.
Purification and properties of an endonuclease endogenous to rat-liver nuclei (1008) 287
Higuchi, Y., see Setoguchi, M. (1008) 213
Himeno, S.-i., see Toyoda, H. (1008) 301

Hirabayashi, J., Ayaki, H., Soma, G.-i. and Kasai, K.-i.
Cloning and nucleotide sequence of a full-length cDNA for human 14 kDa β-galactoside-binding lectin (1008) 85
Hiwasa, T., see Kageyama, H. (1008) 255
Holland, I.B., see Casaregola, S. (1008) 45
Howard, E.F., see Lanclos, K.D. (1008) 109
Huisman, T.H.J., see Lanclos, K.D. (1008) 109

Ichiyoshi, Y., see Yamamoto, M. (1008) 322
Imura, N., see Toyoda, H. (1008) 301
Iosifidu, M., see Srebreva, L. (1008) 346

Jansz, H.S., see Bovenberg, R.A.L. (1008) 223
Jernigan, R.L., see Nussinov, R. (1008) 329
Jovanovic, S.V. and Simic, M.G.
The DNA guanyl radical: kinetics and mechanisms of generation and repair (1008) 39
Joyce, P.B.M. and Gray, M.W.
Nucleotide sequence of a wheat mitochondrial lysine tRNA gene (1008) 355

Kaczmarek, L., see Nowak, R. (1008) 203
Kageyama, H., Shimizu, M., Tokunaga, K., Hiwasa, T. and Sakiyama, S.
A partial cDNA for a novel protein which has a typical E-F hand structure (1008) 255
Kaiserman, H.B., Odenwald, W.F., Stowers, D.J., Poll, E.H.A. and Benbow, R.M.
A major single-stranded DNA binding protein from ovaries of the frog, *Xenopus laevis*, is lactate dehydrogenase (1008) 23
Karpova, G.G., see Graifer, D.M. (1008) 146
Kasai, K.-i., see Hirabayashi, J. (1008) 85
Khidhir, M., see Casaregola, S. (1008) 45
Kim, J.W., Matsumoto, N., Komano, H. and Natori, S.
Stage-specific detection of a DNA-binding protein for the storage protein gene of *Sarcophaga peregrina* (1008) 79
Kodaira, K.-I., Miyata, T., Suzuki, K., Nakano, K. and Taketo, A.
Possible finger structure in gene A protein of *Microviridae* (1008) 123
Komano, H., see Kim, J.W. (1008) 79
Krayevsky, A.A., see Chinchaladze, D.Z. (1008) 113
Kuipers, J., see Bruinenberg, P.G. (1008) 157

Laine, B., see Chartier, F. (1008) 309
Lanclos, K.D., Michael, S.K., Gu, Y.C., Howard, E.F., Stoming, T.A. and Huisman, T.H.J.
Transient chloramphenicol acetyltransferase expression of the $^{G}\gamma$ globin gene 5′-flanking regions containing substitutions of C → T at position −158, G → A at position −161, and T → A at position −175 in K562 cells (1008) 109
Lavrik, O.I., see Bukhrashvili, I.S. (1008) 102
Lee, Y.-C., see Schweizer, M.P. (1008) 293
Leinbach, S.S. and Heath, L.S.
Characterization of the single-stranded DNA-binding domain of the herpes simplex virus protein ICP8 (1008) 281
Levina, A.S., see Bukhrashvili, I.S. (1008) 102
Lotti, M., see Vanoni, M. (1008) 168

Maréchal, D., see Verly, W.G. (1008) 183
Masibay, A.S., see Oka, K. (1008) 351
Masuno, H., see Oka, K. (1008) 351
Matasova, N.B., see Graifer, D.M. (1008) 146
Matsumoto, N., see Kim, J.W. (1008) 79
Michael, S.K., see Lanclos, K.D. (1008) 109
Miyata, T., see Kodaira, K.-I. (1008) 123
Moen, T.C., see Bovenberg, R.A.L. (1008) 223
Motojima, K. and Goto, S.
Cloning of rabbit uricase cDNA reveals a conserved carboxy-terminal tripeptide in three species (1008) 116
Müller, W.E.G., Wenger, R., Reuter, P., Renneisen, K. and Schröder, H.C.
Association of Tat protein and viral mRNA with nuclear matrix from HIV-1-infected H9 cells (1008) 208

Nakano, K., see Kodaira, K.-I. (1008) 123
Nakashima, K., see Tanaka, M. (1008) 193
Nakielny, S.F., see Price, N.T. (1008) 177
Nasu, N., see Setoguchi, M. (1008) 213
Natori, S., see Kim, J.W. (1008) 79
Nevinsky, G.A., see Bukhrashvili, I.S. (1008) 102
Nowak, R., Siedlecki, J.A., Kaczmarek, L., Zmudzka, B.Z. and Wilson, S.H.
Levels and size complexity of DNA polymerase β mRNA in rat regenerating liver and other organs (1008) 203
Nussinov, R., Sarai, A., Smythers, G.W. and Jernigan, R.L.
Distinct patterns in homooligomer tract sequence context in prokaryotic and eukaryotic DNA (1008) 329

Oasba, P.K., see Oka, K. (1008) 351
Odenwald, W.F., see Kaiserman, H.B. (1008) 23
Oka, K., Yuan, J.G., Senda, M., Masibay, A.S., Oasba, P.K., Masuno, H., Scow, R.O., Paterniti Jr., J.R. and Brown, W.V.
Expression of lipoprotein lipase gene in combined lipase deficiency (1008) 351
Oka, S., see Akama, K. (1008) 198
Olsen, J.I., see Schweizer, M.P. (1008) 293
Omiecinski, C.J., see Wilson, N.M. (1008) 357

Paterniti Jr., J.R., see Oka, K. (1008) 351
Pelletier, D.A., see Ratner, D.I. (1008) 71
Pentz, W.H., see Ratner, D.I. (1008) 71
Perry, C., see Schweizer, M.P. (1008) 293
Poll, E.H.A., see Kaiserman, H.B. (1008) 23
Prangishvili, D.A., see Bukhrashvili, I.S. (1008) 102
Prangishvili, D.A., see Chinchaladze, D.Z. (1008) 113
Price, N.T., Nakielny, S.F., Clark, S.J. and Proud, C.G.
The two forms of the β-subunit of initiation factor-2 from reticulocyte lysates arise from proteolytic degradation (1008) 177
Proud, C.G., see Price, N.T. (1008) 177

Querol, E., see Bernués, J. (1008) 52

Radding, C.M.
Helical RecA nucleoprotein filaments mediate homologous pairing and strand exchange (1008) 131
Ramsden, D.B., see Ahlquist, J.A.O. (1008) 251
Ratner, D.I., Pentz, W.H., and Pelletier, D.A.
Prespore gene expression in *Dictyostelium* requires concomitant protein synthesis (1008) 71
Reddy, R., see Yuan, Y. (1008) 14
Reeves, P.M., see Schweizer, M.P. (1008) 293
Renneisen, K., see Müller, W.E.G. (1008) 208
Reuter, P., see Müller, W.E.G. (1008) 208
Riedel, W. and Werner, D.
Nucleotide sequence of the full-length mouse lamin C cDNA and its deduced amino-acid sequence (1008) 119
Roberts, B.
Nuclear location signal-mediated protein transport (1008) 263
Russell, P.J., Welsch, J.A. and Wagner, S.
Transformation of *Neurospora crassa* by an integrative transforming plasmid is not enhanced by ribosomal DNA sequences (1008) 243

Sakiyama, S., see Kageyama, H. (1008) 255
Sarai, A., see Nussinov, R. (1008) 329
Sautière, P., see Chartier, F. (1008) 309
Scamrov, A.V., see Chinchaladze, D.Z. (1008) 113
Schelling, D.L., see Cohen, P.T.W. (1008) 125
Schröder, H.C., see Müller, W.E.G. (1008) 208
Schweizer, M.P., Olsen, J.I., Stolk, J.A., Lee, Y.-C., Reeves, P.M., Perry, C. and De, N.
Interactions of *Eschericia coli* SO-187 $tRNA_I^{Val}$ with *Bacillus stearothermophilus* valine-tRNA synthetase studied by ^{13}C-NMR (1008) 293
Scow, R.O., see Oka, K. (1008) 351
Senda, M., see Oka, K. (1008) 351
Setoguchi, M., Nasu, N., Yoshida, S., Higuchi, Y., Akizuki, S. and Yamamoto, S.
Mouse and human CD14 (myeloid cell-specific leucine-rich glycoprotein) primary structure deduced from cDNA clones (1008) 213
Sheppard, M.C., see Ahlquist, J.A.O. (1008) 251
Shimizu, M., see Kageyama, H. (1008) 255
Shirabe, K., Yubisui, T. and Takeshita, M.
Expression of human erythrocyte NADH-cytochrome b_5 reductase as an α-thrombin-cleavable fused protein in *Escherichia coli* (1008) 189
Siedlecki, J.A., see Nowak, R. (1008) 203
Simic, M.G., see Jovanovic, S.V. (1008) 39
Smythers, G.W., see Nussinov, R. (1008) 329
Soma, G.-i., see Hirabayashi, J. (1008) 85
Srebreva, L., Iosifidu, M., Chimshirova, K. and Zlatanova, J.
Occurrence of histone $H1^0$-related fraction in differentiated maize roots (1008) 346
Stein, J.C., see Cooper, D.A. (1008) 92
Stolk, J.A., see Schweizer, M.P. (1008) 293
Stoming, T.A., see Lanclos, K.D. (1008) 109
Stowers, D.J., see Kaiserman, H.B. (1008) 23
Strieleman, P.J., see Cooper, D.A. (1008) 92
Strobl, J.S., see Gaido, M.L. (1008) 234
Studzian, K., see Szmigiero, L. (1008) 339
Sugano, N., see Hibino, Y. (1008) 287
Suzuki, K., see Kodaira, K.-I. (1008) 123
Szmigiero, L. and Studzian, K.
DNA damage and cytotoxicity of nitracrine in cultured HeLa cells (1008) 339

Takeshita, M., see Shirabe, K. (1008) 189
Taketo, A., see Kodaira, K.-I. (1008) 123
Tanaka, M., Yamakawa, M., Watahiki, M., Yamamoto, M. and Nakashima, K.
Isolation of a novel prolactin-like cDNA clone from bovine placenta: occurrence of new family members (1008) 193
Tasseron-de Jong, J., Aker, J., Den Dulk, H., Van de Putte, P. and Giphart-Gassler, M.
Cytosine methylation in the *Eco*RI site of active and inactive herpesvirus thymidine kinase promoters (1008) 62
Tecce, M.F., see Conti, R. (1008) 315
Tobita, T., see Akama, K. (1008) 198
Tokunaga, K., see Kageyama, H. (1008) 255
Tosi, L., see Aniello, F. (1008) 31
Touzel, J.-P., see Chartier, F. (1008) 309
Toyoda, H., Himeno, S.-i. and Imura, N.
The regulation of glutathione peroxidase gene expression relevant to species difference and the effects of dietary selenium manipulation (1008) 301

Van de Putte, P., see Tasseron-de Jong, J. (1008) 62
Vanoni, M., Lotti, M. and Alberghina, L.
Expression of cloned *Saccharomyces diastaticus* glucoamylase under natural and inducible promoters (1008) 168
Verly, W.G., Maréchal, D. and César, R.
The rat-liver microsomal AP endonuclease. The endoplasmic reticulum is presented as a net thrown into the cytosol to capture newly synthesized karyophilic proteins (1008) 183
Vladimirov, S.N., see Graifer, D.M. (1008) 146
Vlassov, V.V., see Graifer, D.M. (1008) 146

Wagner, S., see Russell, P.J. (1008) 243
Wallis, M., see Warwick, J.M. (1008) 247
Warwick, J.M., Caryl Wallis, O. and Wallis, M.
Cloning, sequence and expression in *Escherichia coli* of cDNA for ovine pregrowth hormone (1008) 247
Watahiki, M., see Tanaka, M. (1008) 193
Waterham, H.R., see Bruinenberg, P.G. (1008) 157
Welsch, J.A., see Russell, P.J. (1008) 243
Wenger, R., see Müller, W.E.G. (1008) 208
Werner, D., see Riedel, W. (1008) 119
Wilson, N.M. and Omiecinski, C.J.
Xenobiotic microsomal epoxide hydrolase: 5′ sequence of the human gene (1008) 357
Wilson, S.H., see Nowak, R. (1008) 203
Wool, I.G., see Devi, K.R.G. (1008) 258

Yamakawa, M., see Tanaka, M. (1008) 193
Yamamoto, M., Gao, F., Furuichi, M., Ichiyoshi, Y. and Endo, H.
A LINE 1 sequence interrupts the rat α2u globulin gene (1008) 322
Yamamoto, M., see Tanaka, M. (1008) 193
Yamamoto, S., see Setoguchi, M. (1008) 213
Yamamura, T., see Hibino, Y. (1008) 287
Yoshida, S., see Setoguchi, M. (1008) 213
Yuan, J.G., see Oka, K. (1008) 351
Yuan, Y. and Reddy, R.
Genes for human U3 small nucleolar RNA contain highly conserved flanking sequences (1008) 14
Yubisui, T., see Shirabe, K. (1008) 189

Zlatanova, J., see Srebreva, L. (1008) 346
Zmudzka, B.Z., see Nowak, R. (1008) 203